



THIS INFORMATION IS CONFIDENTIAL AND IS DISCLOSED TO YOU ON CONDITION THAT NO FURTHER DISCLOSURE IS MADE BY YOU TO OTHER THAN PEXON PERSONNEL WITHOUT WRITTEN AUTHORIZATION FROM PEXON LTD.

DWN No.: C-20101011362



Item	Part name	Q'ty/Ea'	Material	Finish
1	Body	1	Leaded Brass	△ Au 0.1um plating Cu-Zn 1.4um
2	Plunger	2	Leaded Brass	△ Au 0.4um plating Cu-Zn 1.4um
3	Spring	1	Stainless steel wire	_____
4				
5				

△ Table 1 Mechanical performance		
Max working height	4.80mm	85±20fg REF
Min working height	4.40mm	100±20fg
Durability	10000cycle	

- Notes:
- Dimensions shall be interpreted per ASME Y14.5M.
 - Mechanical performance(See the table 1)
 - <2.1>The force is the average of forces obtained when plunger goes downwards and upwards.
 - <2.2>Warning: Working height are not permitted to be less than Min working height.
 - Electrical performance
 - Resistance: 50mOhm Max.
 - Current rating: 2.0A
 - RoHS compliant.

20101011362
PART NUMBER

Top-Link Electronics Ltd.	Type Customer drawing	Unit mm	Weight _____
TOLERANCES UNLESS OTHER SPECIFIED 0. = ± - 0.0 = ± 0.15 0.00 = ± 0.10 0.000 = ± - Angle: ±° SURF TEXTURE: REMOVE BURRS. BREAK SHARP EDGES R0.05 MAX.DO NOT SCALE PRINT.	DWN: Cai wanlu	APVD:	PEXON
	CHK:	REL:	
Name POGO PIN			
Scale 1:1	Size A4	DWG No. C-20101011362	Page 1/1 Rev. 2

Rev.	Revision record.	Date.
2	Update	2016/03/18
1	NEW	2016/03/16

DIST

DIST



PEXON

E-mail: sale@pinconnector.com

WhatsApp: +86-13361867201

www.pinconnector.com