



THIS INFORMATION IS CONFIDENTIAL AND IS DISCLOSED TO YOU ON CONDITION THAT NO FURTHER DISCLOSURE IS MADE BY YOU TO OTHER THAN PEXON PERSONNEL WITHOUT WRITTEN AUTHORIZATION FROM PEXON LTD.

DWN No.: C-101745



Item	Part name	Q'ty/Ea'	Material	Finish
1	Body	2	Leaded Brass	Gold plating over Nickel plating
2	Plunger	2	Leaded Brass	Gold plating over Nickel plating
3	Spring	2	Stainless steel wire	_____
4				
5				

working height	6.05mm	80gf min
working height	10.45mm	80gf min
Durability	10000cycle	

Notes:  
 1 Dimensions shall be interpreted per ASME Y14.5M.  
 2 Mechanical performance(See the table 1)  
 <2.1>The force is the average of forces obtained when plunger goes downwards and upwards.  
 <2.2>Warning: Working height are not permitted to be less than Min working height.  
 3 Electrical performance  
 Resistance: 50mOhm Max.  
 Current rating: 2.0A  
 4 RoHS compliant.

101745-1  
PART NUMBER

Top-Link Electronics Ltd.		Type	Customer drawing	Unit	mm	Weight
TOLERANCES UNLESS OTHER SPECIFIED		DWN:	Cai wanlu	APVD:		<b>PEXON</b>
0. = ± -		CHK:		REL:		
0.0 = ± 0.15		Name				POGO PIN
0.00 = ± 0.10		Scale	1:1	Size	A4	DWG No.
0.000 = ± -				DWG No.	C-101745	Page
Angle: ±				Page	1/1	Rev.
SURF TEXTURE: REMOVE BURRS. BREAK SHARP EDGES R0.05 MAX.DO NOT SCALE PRINT.				Rev.	3	

Rev.	Revision record.	Date.
3	Update	2013/05/20
1	NEW	2013/05/12

DIST  
---  
DIST  
---



**PEXON**

E-mail: [sale@pinconnector.com](mailto:sale@pinconnector.com)

WhatsApp: +86-13361867201

[www.pinconnector.com](http://www.pinconnector.com)