


THIS INFORMATION IS CONFIDENTIAL AND IS DISCLOSED TO YOU ON CONDITION THAT NO FURTHER DISCLOSURE IS MADE BY YOU TO OTHER THAN PEXON PERSONNEL WITHOUT WRITTEN AUTHORIZATION FROM PEXON LTD.

DWN No.: C-101513



Item	Part name	Q'ty/Ea'	Material	Finish
1	Body	1	Leaded Brass	Au plating over Ni
2	Plunger	2	Leaded Brass	Au plating over Ni
3	Spring	1	Stainless steel wire	—————
4				
5				

Max working height	5.40mm	70gf min<2.1>
Min working height	5.00mm	100±25gf
Durability	10000cycle	

Notes:
 1 Dimensions shall be interpreted per ASME Y14.5M.
 2 Mechanical performance(See the table 1)
 <2.1>The force is the average of forces obtained when plunger goes downwards and upwards.
 <2.2>Warning: Working height are not permitted to be less than Min working height.
 3 Electrical performance
 Resistance: 30mOhm max Current rating: 2.0A
 4 RoHS compliant.
 5 Customer P/N: C106

DIST

 DIST

Rev.	Revision record.	Date.
	NEW	2011/08/02
3		

Top-Link Electronics Ltd.
 TOLERANCES UNLESS OTHER SPECIFIED
 0. = ± -
 0.0 = ± 0.15
 0.00 = ± 0.10
 0.000 = ± -
 Angle: ±1°
 SURF TEXTURE: REMOVE BURRS.
 BREAK SHARP EDGES R0.05 MAX.DO NOT SCALE PRINT.

Type Customer drawing	Unit mm	Weight
DWN: Qin	APVD:	PEXON
CHK:	REL:	
Name POGO PIN		
Scale 1:1	Size A4	DWG No. C-101513
Page 1/1		Rev. 1

101513-1
 PART NUMBER



PEXON

E-mail: sale@pinconnector.com

WhatsApp: +86-13361867201

www.pinconnector.com