


THIS INFORMATION IS CONFIDENTIAL AND IS DISCLOSED TO YOU ON CONDITION THAT NO FURTHER DISCLOSURE IS MADE BY YOU TO OTHER THAN PEXON PERSONNEL WITHOUT WRITTEN AUTHORIZATION FROM PEXON LTD.

DWG NO.
C-100072



USED ON
-



- Notes:
- Material, Housing: PA 4.6 (30% Glass Filled)
Color Black. (UL94V-0)
Contact: Brass
 - Mechanical demands:
Spring force: Min 1.6 $\pm_{-0.20}^{+0.40}$ N with 1.8mm stroke.
Full stroke: 2.7mm
Plating plunger: Min 0.40um Au over 1.5um Ni
Plating body: Min 0.1um Au over 1.4um .

DIMENSIONS IN MM
TOLERANCES UNLESS
OTHER SPECIFIED
0 = ±-
0.0 = ±0.15
0.00 = ±0.10
0.000 = ±
ANGLE: ±1°
SURF TEXTURE: 3.2/
REMOVE BURRS. BREAK
SHARP EDGES R0.05 MAX
DO NOT SCALE PRINT

MATL		HT TR	FIN
DWN Benny		APVD	PEXON
CHK		REL	
NAME BATTERY CONNECTOR 2 POS. PGC-1.5-10.0-R-2P-5.08PH			
SCALE 1:1	A4	DWG NO. C-100072	SHEET 1 OF 1
REV B			

LOC	-
DIST	-

LTR	Add cap-004	2007/08/13
REVISION RECORD	APVD	DATE

100072-2
PART NUMBER

4

3

2

1

D
C
B
A



PEXON

E-mail: sale@pinconnector.com

WhatsApp: +86-13361867201

www.pinconnector.com