


THIS INFORMATION IS CONFIDENTIAL AND IS DISCLOSED TO YOU ON CONDITION THAT NO FURTHER DISCLOSURE IS MADE BY YOU TO OTHER THAN PEXON PERSONNEL WITHOUT WRITTEN AUTHORIZATION FROM PEXON LTD.

DWN No.: C-101595



Item	Part name	Q'ty/Ea'	Material	Finish
1	Body	1	Leaded Brass	Au plating over Ni
2	Plunger	2	Leaded Brass	Au plating over Ni
3	Spring	1	Stainless steel wire	_____
4				
5				

Max.working height	9.20mm	80gf min<2.1>
Min.working height	8.50mm	200gf max
Durability	10000cycle	

Notes:  
 1 Dimensions shall be interpreted per ASME Y14.5M.  
 2 Mechanical performance(See the table 1)  
 <2.1>The force is the average of forces obtained when plunger goes downwards and upwards.  
 <2.2>Warning: Working height are not permitted to be less than Min working height.  
 3 Electrical performance  
 Resistance: 30mOhm max  
 Current rating: 2.0A  
 4 RoHS compliant.

DIST  
---  
DIST  
---

Rev.	Revision record.	Date.
2	UPDATE	2013/06/11
1	NEW	2012/03/07

Top-Link Electronics Ltd.  
 TOLERANCES UNLESS OTHER SPECIFIED  
 0. = ± -  
 0.0 = ± 0.15  
 0.00 = ± 0.10  
 0.000 = ± -  
 Angle: ±  
 SURF TEXTURE: REMOVE BURRS.  
 BREAK SHARP EDGES R0.05 MAX.DO NOT SCALE PRINT.

Type Customer drawing	Unit mm	Weight
DWN: Gui zhiguo	APVD:	<b>PEXON</b>
CHK:	REL:	
Name POGO PIN		
Scale 1:1	Size A4	DWG No. C-101595
Page 1/1		Rev. 2

101595-1  
PART NUMBER



**PEXON**

E-mail: [sale@pinconnector.com](mailto:sale@pinconnector.com)

WhatsApp: +86-13361867201

[www.pinconnector.com](http://www.pinconnector.com)